


Adhesive double coated tape for rough face
Double coated adhesive tape based non-woven
207

Feature

"207" is the adhesive tape for rough surface based non-woven.

Applications


For named plates




1. general properties

product number	Thickness (mm)	Adhesive force (N/25mm)
207	0.25	14

2. adhesive force for various temperature



3. adhesive force for various material



Notice for use

Remove oil, water and foreign matter from tape surface.
Firmly adhere to substrate using a release liner.
Apply tape after correcting large spatial gaps between the foundation

Precautions

- Keep at room of normal temperature/humidity without exposed to direct sunlight.
- Do not suddenly apply the brakes when applying except when absolutely necessary.
Doing so could cause film to become detached at the edges.
- Be sure to remove oil and grease from the substrate before applying the film.
Failure to do so could result in contamination of the substrate.
- In the case of harsh processing conditions, be sure to conduct a test before attempting to use.

Notice

The above values are sample observed values, not the guaranteed performance.

User is responsible for determining whether the KGK product is fit for a particular purpose and suitable for user's method of application. Please remember that many factors can affect the use and performance of a KGK product in a particular application. The materials to be bonded with the product, the surface preparation of those materials, the product selected for use, the conditions in which the product is used, and the time and environmental conditions in which the product is expected to perform are among the many factors that can affect the use and performance of a KGK product. Given the variety of factors that can affect the use and performance of a KGK product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the KGK product to determine whether it is fit for a particular purpose and suitable for the user's method of application.

KGK make no warranties on above data.

Kyoudou giken kagaku co.,ltd
Postal code 359-0011
940 Minami-nagai Tokorozawa city
Saitama pref. JAPAN
phone +81-4-2944-5151