

semi-transparent OCA

Smoke OCA colored-agent-dispersion-type

MGS10D

Feature

By special treatment, light from the display body is suppressed and the burden on eyes is alleviated.

Application

Measures to cover the light quantity from the display body by transmittance control

Measures against light burden from LCD monitor and navigation panel

Structure



colored-agent-dispersion-type OCA

Thickness 0.1mm

Properties

Specification colored-agent-dispersion-type OCA

composition

Acrylic resin colored-agent

Representative properties

ltem	Code	Thickness	Adhesive Force	Transparent ratio	HAZE
		(mm)	(N/inch)	(%)	
colored-agent-dispersion-type OCA	MGS10D	0.1	11	63	4

 $\label{eq:measurement} \mbox{\@scale=1.25 backing, peeling speed 300mm/min, 180$^\circ$ angle.}$

Precautions on use

All technical data are prepared based on the tests and measured values carried out in the laboratory of KGK Chemical Corp. as the standard. However, product characteristics may vary greatly depending on environment and adherend.

Therefore, regarding these characteristic data, it is a reference value, not a guaranteed value.

Before using it please make sure that this product is suitable for the intended use and environment.

KGK Chemical Corp. 940 Minaminagai Tokorozawa-City saitama-Pref

359-0011 Japan Tel: +81 4 2944 5151

Mail: postbox@kgk-tape.co.jp URL: http://www.kgk-tape.co.jp/

Published in 14-Dec-2018